

Analyzing EDFA Performance using different Pumping Techniques

Payal^{1*}, D. Sharma², S. Kumar³

^{1*,2,3}ECE Department, University Institute of Engineering & Technology(UIET), MDU, Rohtak, Haryana, India

*Corresponding Author: payalarora325@gmail.com

Available online at: www.ijcseonline.org

Accepted: 21/May/2018, Published: 31/May/2018

Abstract: Wavelength Division Multiplexing (WDM) technology utilizes a multiplexer at the transmitter end and a demultiplexer at the receiver end to split the channels apart. Utilization of Erbium Doped Fiber Amplifier (EDFA) enables us to minimize various problems like insertion loss and dispersion. The EDFA-WDM System performance mainly depends on pumping technique used. We have analyzed various pumping techniques for a WDM system with pump powers from 40-120mW over different lengths of Erbium doped fiber (EDF). The designed system is analyzed in terms of Q-Factor and received power for a wavelength ranging 1530nm-1550nm with 0.5nm spacing. The results of pumping techniques are compared qualitatively to find the efficient performance of EDFA-WDM system.

Keywords: EDFA, WDM, Pump power, Fiber length

I. INTRODUCTION

Optical amplifiers amplify the signal in optical domain using stimulated emission and are used for compensating signal-splitting losses in long distance point-to-point and multi-access networks[1][2][3].The two main optical amplifier types can be classified as: Semiconductor Optical Amplifiers (SOA's) and Doped Fiber Amplifiers (DFA's). EDFA is the most stable amplifier to amplify signals in C-band (1525 - 1565 nm)and L-band (1568-1610 nm).The fiber bandwidth is not fully utilized because of some predicaments which can be corrected up to good extent by incorporating WDM system [4][5][6]. EDFA incorporates a number of channels using WDM. Rest of the paper is organized as follows: Section II. Provides analytical description of EDFA pumping techniques. Section III. Contains System Design along with Simulation parameters followed by Results in Section IV. And Conclusion in Section V.

II. PUMPING TECHNIQUES

In optical pumping photon energy is used to raise electrons into excited states in contrast to SOA's where external current injection excites electrons to higher energy levels [7]. Two pumping source are considered at 980nm and 1480nm.The optical pumping requires the use of three energy levels as shown in figure 1.




Figure 1: Energy level diagram of EDFA showing pumping and lasing

N_u , N_m and N_g denote the population of three energy states. The rate equations for EDFA can be represented as [8]:

$$\frac{dN_g}{dt} = \frac{N_m}{\tau_{mg}} + W_s(N_m - N_g) - W_p(N_g - N_u) \quad (1)$$

$$\frac{dN_m}{dt} = \frac{N_u}{\tau_{um}} - W_s(N_m - N_g) \quad (2)$$

$$\frac{dN_u}{dt} = -\frac{N_u}{\tau_{um}} + W_p(N_g - N_u) \quad (3)$$

Where W_p is pumping rate; W_s is photon absorption rate;

τ_{ij} Is the spontaneous emission lifetime from i to j state

Population inversion indicates that $N_m > N_g$. The time derivatives disappear for steady state conditions. Since, the lifetime of intermediate state m is more than that of upper

state u , the Boltzmann distribution gives a measure of population inversion.

$$N_u = N_m e^{-(E_u - E_m)/kT} = \beta N_m \quad (4)$$

Where $\beta = e^{-(E_u - E_m)/kT}$

Under steady state conditions, rate equation can be written as

$$\frac{N_m}{\tau_{mg}} + W_s(N_m - N_g) - W_p(N_g - N_u) = 0 \quad (5)$$

After further simplification equation (4) can be used for determining the inversion level n

$$n = \frac{N_m}{N_m - N_g} = \frac{(W_p + W_s)\tau}{W_p\tau(1 - \beta) - 1} \quad (6)$$

In 980nm, erbium ions are continuously moved from upper to lower level through intermediate stage while with 1480nm the energy is slightly higher and ions are only moved in between intermediate stage to lower stage[9][10][11].

Using principle of energy conservation, the input and output powers of EDFA can be expressed as:

$$P_{s,out} \leq P_{s,in} + \frac{\lambda_p}{\lambda_s} P_{p,in} \quad (7)$$

Where $P_{p,in}$ is the input pump power, and λ_p and λ_s are the pump and signal wavelengths, respectively. The major constraint while using EDFA is that the amount of extracted signal energy from an EDFA cannot exceed the pump energy [12]. In the above equation, inequality reflects the possibility of effects like the pump photons being lost due to various causes (interactions with impurities) or pump energy lost due to spontaneous emission.

From equation (5), it is clear that the ratio $\frac{\lambda_p}{\lambda_s}$ limits the maximum output signal power. For efficient pumping it is desirable to have $\lambda_p < \lambda_s$ and for appropriate gain $P_{s,in} \ll P_{p,in}$. Equation (8) represents the Power conversion efficiency (PCE).

$$PCE = \frac{P_{s,out} - P_{s,in}}{P_{p,in}} \approx \frac{P_{s,out}}{P_{s,in}} \leq \frac{\lambda_p}{\lambda_s} \leq 1 \quad (8)$$

The pump power using forward pumping is expressed as:

$$P_p(z) = P_p(0) \exp(-\alpha_p L) \quad (9)$$

In bidirectional pumping, the pump power is

$$P_p(z) = P_p(0) \exp(-\alpha_p (L - z)) \quad (10)$$

Where $P_p(0)$ is pumping power at $z=0$, L is the cavity length and α_p is the attenuation coefficient at pumping wavelength

The pumping techniques used in EDFA are:

- (1) Co-Pumping
- (2) Counter pumping
- (3) Bidirectional Pumping

Co-Pumping (Forward Pumping): In this technique, the injected pump light and the signal flow have same directions and are combined using pump co-coupler or wavelength division multiplexer. The input signal gets energy through pumping along with amplification and at the output is coupled into the fiber. The optical isolators are used to prevent the back reflection of amplified signal and hence limit the noise.




Figure 2. Block Diagram of Co-Pumping technique

Counter-Pumping (Backward Pumping):

In this technique, the injected pump light and signal flow have opposite directions. The signal direction is insignificant in this pumping for amplification. The optical isolators are used to prevent the back reflection of amplified signal.





Figure 3. Block Diagram of Counter-Pumping technique

Bidirectional-Pumping:

In Bi-directional pumping, the input signal is propagated in forward direction.



Two pump sources are used in this technique to travel in both directions inside the fiber there by using both forward and backward pumping techniques simultaneously for optimum performance of EDF

Figure 4. Block Diagram of Bidirectional Pumping Technique

III. EDFA-WDM SYSTEM DESIGN

The 32-channel WDM system is designed in OPTISYS V14 and the performance of counter and bidirectional pumping techniques are analyzed over a range of 1530nm-1550nm with 0.5nm frequency spacing. The results are obtained for 50km length of optical fiber. The performance analysis of pumping techniques is done using various simulation parameters as shown in table 1.

Table 1. Parameters of simulation setup

| Design Components | Simulation parameters | Values |
|------------------------|---|-------------------------|
| WDM Transmitter | Channel power (dBm) | -26 |
| | Modulation Type | NRZ |
| | Channel Spacing (nm) | 0.5 |
| | Bit Rate (Gbps) | 10 |
| Pump laser | Pumping power for EDFA (mW) | 40,60,80,100,120 |
| | Pumping wavelength (nm) | 980,1480 |
| EDF | Length of EDF (m) | 4,6,8 |
| | Er ³⁺ ion density | 10*1024 m ⁻³ |
| | Er ³⁺ metastable lifetime (ms) | 10 |
| Optical fiber | Length (km) | 50 |
| Low pass Bessel filter | Cutoff frequency (Hz) | 0.75*Bit rate |
| PIN diode | Responsivity (A/W) | 1 |

The designed system layout for counter pumping is shown in figure5 below.




Figure 5. Designed System Layout for Counter pumping

The designed system layout for bidirectional pumping is shown in figure6 below.




Figure 6. Designed System Layout for Bidirectional pumping

IV. RESULT AND DISCUSSION

We have focused on the Q-factor of counter pumping and bidirectional pumping based on the results obtained after analyzing the variation of output power with input pump power for various lengths of EDF. For counter pumping, with increase in length of EDF the received power also increases but the transmission is acceptable up to 6m of EDF length as shown in figure 7 below.




Figure 7. Variation of Output power with pump power for various EDF lengths in Counter pumping

The graphical results for Counter pumping are tabulated as below in table2.

Table 2. Power with varying Length of EDF for Counter Pumping Technique

| Pumping power given to EDFA (mW) | Input power (E-6) | Input power (dBm) | Counter Pumping | | | | | |
|----------------------------------|-------------------|-------------------|--------------------|-------|-------|--------------------|-------|-------|
| | | | Output power (E-3) | | | Output power (dBm) | | |
| | | | 4m | 6m | 8m | 4m | 6m | 8m |
| 40 | 43.865 | -13.579 | 16.99 | 16.78 | 15.34 | 12.09 | 12.24 | 11.86 |
| 60 | 43.860 | -13.579 | 26.20 | 28.55 | 27.17 | 14.18 | 14.55 | 14.34 |
| 80 | 43.850 | -13.580 | 36.01 | 40.22 | 39.03 | 15.56 | 16.04 | 15.91 |
| 100 | 43.845 | -13.581 | 45.71 | 51.94 | 50.98 | 16.60 | 17.15 | 17.07 |
| 120 | 43.831 | -13.581 | 55.22 | 63.73 | 63.02 | 17.42 | 18.04 | 17.99 |

The output power variation with respect to pump power for bidirectional pumping is shown in the figure 8 below.




Figure 8. Variation of Output power with pump power for various EDF lengths in Bidirectional pumping

For bidirectional pumping, with increase in length of EDF it provides more power compared to the counter pumping in which for EDFA length greater than 6m, the power was decreasing. The graphical results are tabulated as below in table 3.

Table 3. Power with varying Length of EDF for Bidirectional Pumping Technique

| Pumping power given to EDFA (mW) | Input power (E-6) | Input power (dBm) | Bidirectional Pumping | | | | | |
|----------------------------------|-------------------|-------------------|-----------------------|-------|-------|--------------------|-------|-------|
| | | | Output power (E-3) | | | Output power (dBm) | | |
| | | | 4m | 6m | 8m | 4m | 6m | 8m |
| 40 | 43.865 | -13.579 | 21.14 | 24.70 | 27.74 | 13.25 | 13.92 | 13.93 |
| 60 | 43.860 | -13.579 | 32.55 | 39.62 | 41.18 | 15.12 | 15.97 | 16.14 |
| 80 | 43.850 | -13.580 | 43.64 | 54.22 | 57.67 | 16.39 | 17.34 | 17.61 |
| 100 | 43.845 | -13.581 | 54.52 | 68.62 | 74.22 | 17.36 | 18.36 | 18.70 |
| 120 | 43.877 | -13.578 | 65.24 | 82.84 | 90.51 | 18.14 | 19.18 | 19.56 |

Based on these results, comparative analysis of these two pumping techniques is carried out in terms of Q-factor with varying pump powers.




Figure 9. Q-factor analysis for counter pumping technique




Figure 10. Q-factor analysis for bidirectional pumping technique

The graphical analysis of Q-factor shows that with increase in pump power, the Q-factor increases for both the pumping techniques but the increase is greater in bidirectional pumping. In counter pumping, since the transmission is acceptable up to 6m length of EDF, we have analyzed the Q-factor values at 6m EDF length and for bidirectional pumping the Q-factor values are analyzed at 8m of EDF length. The graphical values are tabulated as below in table 4.

Table 4. Q-Factor Variation with Pumping Power for Both Pumping Techniques

| Pump power given to EDFA (in mW) | Q-Factor | | | |
|----------------------------------|----------------------------------|-----------|--|-----------|
| | Counter Pumping (EDFA length-6m) | | Bidirectional Pumping (EDFA length-8m) | |
| | Channel 1 | Channel 2 | Channel 1 | Channel 2 |
| 40 | 1.8942 | 1.543 | 4.884 | 4.432 |
| 60 | 3.693 | 3.348 | 6.983 | 6.542 |
| 80 | 4.642 | 4.364 | 8.130 | 7.822 |
| 100 | 6.841 | 6.403 | 10.873 | 9.987 |
| 120 | 7.863 | 7.492 | 12.413 | 11.432 |

V. CONCLUSION

In this paper, we have designed and evaluated the performance of EDFA using counter pumping and bidirectional pumping over a 32-channel WDM system based on Q-Factor and received output power with NRZ modulation format. We have evaluated the system for pumping power of 40, 60, 80, 100 and 120mW at EDF length of 4, 6 and 8m. With increase in pump power, the Q-factor increases for both the pumping techniques but the increase is greater in bidirectional pumping. In counter pumping, since the transmission is

acceptable up to 6m length of EDF, we have analyzed the values of Q-factor at 6m EDF length and for bidirectional pumping the values of Q-factor are analyzed at 8m of EDF length. The system depicts a considerable improvement and works optimally for bidirectional pumping with Q Factor of 12.413 and 11.432 at 8m of EDF at 120mW of pumping power.

References

- [1] M. Nakazawa, "Evolution of EDFA from single-core to multi-core and related recent progress in optical communication," *Optical Review*, vol. 21, no. 6, pp. 862–874, 2014
- [2] Payal ,Dr. (Col.) Suresh Kumar, Deepak Sharma, "A Review of Optical Communication link design using EDFA" *International Journal of Enhanced Research in Management & Computer Applications*, Volume 6, Issue3, March 2017pp (33-38)ISSN: 2319-7471.
- [3] Payal ,Dr. (Col.) Suresh Kumar, Deepak Sharma, "Performance Analysis of NRZ and RZ Modulation Schemes in Optical Fiber Link Using EDFA" *International Journal of Advanced Research in Computer Science and Software Engineering (IJARCSSE)*, Vol. 7, Issue 8 August 2017 .pp(161-168) ISSN: 2277 128X DOI: 10.23956/ijarcsse/V7I8/0102.
- [4] Suresh Kumar, Abhimanyu Nain, "Simulative Investigation Of WDM RoF Systems Including The Effect Of The Raman Crosstalk Using Different Modulators", *Telecommunications and Radio Engineering*, Vol.75, Issue 14 2016, pp(1243-1254) DOI: 10.1615/TelecomRadEng.v75.i14.20
- [5] Abhimanyu Nain, Suresh Kumar ,Performance Investigation of Different Modulation Schemes in RoF Systems under the Influence of Self Phase Modulation, *DG GRUYTER, Journal of Optical Communication*. 2017 (ISSN 2191-6322, ISSN (Print) 0173-4911.DOI 10.1515/joc-2016-0155.
- [6] Abhimanyu Nain, Suresh Kumar, S. Singla, "Impact of XPM Crosstalk on SCM-Based RoF Systems", *Journal of Optical Communications* 2016, (ISSN 0173-4911) DOI 10.1515/joc-2016-0045
- [7] Deepak Sharma, Payal, Rajbir Singh, "Performance Investigation of Dispersion Compensation Techniques in 32-Channel DWDM System" *International Journal of Electronics Electrical and Computational Systems (IJECS)* ISSN: 2348 117X Vol. 6 Issue 11, Nov- 2017 pp (420-427).
- [8] P. C. Becker "EDFA-Fundamentals and Technology", Academic Press London
- [9] Deepak Sharma, "Design and Analysis of a Hybrid Optical Amplifier using EDFA and Raman Amplifier", *International Journal of Enhanced Research in Management & Computer Applications*, Vol. 5 Issue 9, September-2016ISSN: 2319-7471.
- [10] Rajbir Singh, Payal, Deepak Sharma, "Performance Evaluation of Different Channels in Optical Communication Systems using Optisystem Simulator." *International Journal of Innovations & Advancement in Computer Science*, Vol. 7, Issue 5. ISSN 2347 – 8616
- [11] Deepiti, Suresh Kumar, Payal, "Optical Communication link design using EDFA with FBG : Theoretical Review ", *International Journal of Computer Sciences and Engineering*, Vol.6, Issue.3, pp.182-187, 2018 <https://doi.org/10.26438/ijcse/v6i3.182187>
- [12] Payal, Rajbir Singh, Deepak Sharma, "Performance Comparison of Hybrid Optical Amplifiers with Different Modulation Formats" *International Journal of Electronics, Electrical and Computational System (IJECS)* Volume 6, Issue 11 November 2017 ISSN 2348-117X

Authors Profile

Ms Payal pursued Bachelor of Technology and Master of Technology from MDU, Rohtak India in year 2015 and 2017. She is currently pursuing Ph.D. in ECE Department of MDU, Rohtak India since 2017. Her main research work focuses on Optical Communication, Amplifiers, and Nonlinear impairments. She has published 12 Research papers in International journals and in International/National Conference proceedings in India.



Mr. Deepak Sharma is a PhD Research Scholar in Department of Electronics and Communication Engineering, UIET, MDU Rohtak. His research Interest areas include Heterogeneous Wireless Networks, MANETs and Optical Networks. He has published 40 research papers in International journals and in International/National Conference proceedings in India and abroad.



Mr Suresh Kumar has served in Corps of Signals (Indian Army) After taking PMR, joined as teaching faculty in UIET, MDU Rohtak, in Department of ECE in October 2008. He did his B.Tech from CME Pune and MCTE Mhow in 1999 from JNU New Delhi in Electronics and Communication Engineering. He did his PhD. In ECE in 2011 on the title "CONTROL SPILL OVER OF TRANSMITTED POWER IN CDMA CELLULAR COMMUNICATION NETWORKS IN BORDER AREAS FOR DEFENCE FORCES". His area of specialization is wireless and Optical communication. He has guided 06 PhD. Thesis (04 awarded and 02 pursuing) and 24 M.Tech students dissertations. He has published 90 papers in International Journals and international/national conf proceedings in India and abroad.

